

McDonnell Douglas MD-90 (M90)



- Seat Specifications
 - Seat Map
- Aircraft Specification

Seat Specifications


	 FIRST CLASS	 DELTA COMFORT+®	 MAIN CABIN
ACCOMMODATION (158 SEATS)	16 Seats	25 Seats	117 Seats
SEAT WIDTH/PITCH	19.6 in/37 in 50 cm/94 cm	18.1in/34 in 46 cm/86 cm	18.1 in/30-32 in 46 cm/76-81 cm
CHILD SEAT FIT GUIDE Aircraft seat width min-max	19.6 in 50 cm	18.1 in 46 cm	18.1 in 46 cm
AMENITIES	 	 	

Amenities Key

		
Flat Bed	Wi-Fi	USB In-Seat Power
		
In-Seat Power Outlet	Personal Video	Satellite TV

Seat Map

				
Exits (8)	Galleys (2)	Lavatories (3)	Delta Comfort+	Preferred



OUR AIRCRAFT

McDonnell Douglas MD-90 (M90)



Aircraft Specifications

CRUISING SPEED 498 mph (802 km/h)	RANGE 1,992 miles (3,206 km)	ENGINES 2 Turbofans (fuselage mounted)
WINGSPAN 107 ft 10 in (32.6 m)	TAIL HEIGHT 30 ft 7 in (9.4 m)	LENGTH 152 ft 7 in (46.51 m)

Our Aircraft

Airbus

A319-100 (319)
A320-200 (320)
A321-200 (321)
A330-200 (332)
A330-300 (333)
A330-900 (339)
A350-900 (359)

Boeing

717-200 (717)
737-700 (73W)
737-800 (738)
737-900ER (739)
757-200
757-300 (75Y)
767-300 (76P)
767-300ER
767-400ER (76D)
777-200ER (777)
777-200LR

Bombardier

CRJ-200
CRJ-700
CRJ-900

McDonnell Douglas

MD-88 (M88)
MD-90 (M90)

Embraer

ERJ-170
ERJ-175
ERJ-175 SC

NEXT

Explore Bombardier

Search for a topic... 🔍

Popular Topics: Need Help? Coronavirus eCredits

ABOUT DELTA

About Us
Careers
News Hub
Investor Relations
Business Travel
Travel Agents
Mobile App

CUSTOMER SERVICE

Need Help?
Tweet Us
Comment/Complaint

SITE SUPPORT

Login Help
Site Map
Browser Compatibility
Accessibility
Booking Information

POLICIES

Customer Commitment
Tarmac Delay Plan
Legal
Sustainability
Contract of Carriage
Cookies, Privacy & Security
Human Trafficking Statement

© 2020 Delta Air Lines, Inc. | Travel may be on other airlines.

Terms and conditions apply to all offers and SkyMiles benefits. See specific offer for details, and visit SkyMiles Membership Guide & Program Rules

Website Feedback



United States - English

Español